



**NATURAL GAS VEHICLE COOPERATIVE PURCHASING PROGRAM
 CNG Conversion Specs for Vehicle Configuration No. 9:
 Ford F-250 Pickup – Extended range – 8’ Bed**

DEALER NAME _____ **BID AMOUNT** _____

Mark "S" for standard,
or specify deviations.

- | | | |
|-------------------|---|----------|
| 1) Make/Model | A) Regular Cab Pick Up. Specify Year: _____ | A. _____ |
| | B) Make: _____ & Model _____ | B. _____ |
| 2) Rating | A) G.V.W.: 8,800 lbs Minimum, Show GVW _____ | A. _____ |
| | B) Payload: 2,845 lbs Minimum, Show Payload _____ | B. _____ |
| 3) Dimensions | A) Wheelbase: 137" ± 3", Show Wheelbase _____ | A. _____ |
| | B) Pickup Box: 8 Foot Length | B. _____ |
| 4) Engine | A) 6.2 L, EFI, V8, Dedicated Compressed Natural Gas | A. _____ |
| | B) Show Engine C.I.D. or Liters _____ | B. _____ |
| | C) Gaseous Prep Engine | C. _____ |
| 5) Cooling System | A) Maximum Capacity Cooling Available With Coolant Recovery System | A. _____ |
| 6) Air Cond. | A) Factory Installed With Integral Heater & Defroster | A. _____ |
| 7) Electrical | A) Battery: 12 Volt, At Least 650 CCA | A. _____ |
| | B) Alternator: 12 Volt, At Least 130 AMP | B. _____ |
| | C) Dual Note Electric Horns (No Exceptions) | C. _____ |
| | D) Cab Or Roof Mounted Center High Mount Stop Light | D. _____ |
| | E) Heavy Duty Signal And Emergency Flashers | E. _____ |
| 8) Radio | A) AM/FM Stereo Radio With Manual Antenna | A. _____ |
| 9) Fuel System | A) CNG Cylinder 21 GGE Minimum. 3600 psi.
In The Bed Mounted And Shielded. Specify Capacity _____ | A. _____ |
| | B) Extended Range 6 GGE Minimum. 3600 psi.
Under Bed Mounted And Shielded. Specify Capacity: _____ | B. _____ |



- 10)Interior
 - A) Air Bag Supplemental System: Driver-Side A. _____
 - B) Dome Light In Cab B. _____
 - C) 12 Volt Power Outlet Dash Mounted C. _____
 - D) Seat Belts: Lap and Shoulder D. _____
 - E) Gauges: Oil Pressure, Temperature, Voltmeter, Fuel & Speedometer E. _____
 - F) Mirror: Inside Rear View, Day And Night F. _____
 - G) Sun Visors: Right And Left Side G. _____
 - H) Bench Seat With Folding Back And Adjustable Head Restraints For Outside Occupants H. _____
 - I) Vinyl Upholstery: Grey or Charcoal Color Show Color _____ I. _____
 - J) Full Floor Mat: Black Rubber J. _____
 - K) Arm Rests: Right And Left Side Doors K. _____

- 11)Exterior
 - A) Cab: Conventional A. _____
 - B) Frame: Standard B. _____
 - C) Mirrors: Dual Manual, 6" x 9" ± 1" Low Mount, Black With Convex Right Side Mirror C. _____
 - D) Windows: Tinted Glass All Around D. _____
 - E) Wipers: 2 Speed Intermittent With Washers E. _____

- 12)Axles
 - A) Front: 3,700 lbs Minimum, Show Capacity _____ A. _____
 - B) Rear: 5,300 lbs Minimum, Show Capacity _____ B. _____

- 13)Ratio
 - A) Show Standard Ratio For Powertrain . A. _____

- 14)Springs
 - A) Front: 3,100 lbs Minimum, Show Capacity _____ A. _____
 - B) Rear: 4,800 lbs Minimum, Show Capacity _____ B. _____
 - C) Stabilizer Bar: Front C. _____

- 15)Shocks
 - A) Heavy Duty Front And Rear A. _____

- 16)Brakes
 - A) Power Assist with Four-Wheel Anti-Lock A. _____
 - B) Front: Disc B. _____
 - C) Rear: Drum C. _____

- 17)Transmission
 - A) 4 Speed Automatic Overdrive With Auxiliary Oil To Air Cooler A. _____
 - B) Column Mounted Transmission Shift Selector B. _____

- 18)Steering
 - A) Power A. _____

- 19)Tires
 - A) 5 Each: LT245/75R16-E, SBR-BSW, All-Season Tread A. _____

- 20)Wheels
 - A) 5 Each: Steel 16.0" x 7.0" A. _____

